## Multiple Sclerosis Referral Form

Fax completed form to:





PATIENT INFORMATION					
Patient Name:	Date of Bir		Referra	l Date:	
Address:	ן שמנכ טו שוועוו.		City/State/Zip:		
Home Phone:	Cell Phone	•	Work P	hone.	
Secondary Contact:	Height:	Weight:	Mal		
Patient Diagnosis & ICD			mai	remaie	
Allergies:					
PROVIDER INFORMATION					
Physician Name:	Lic.#:	KO VIDEK II VI ORVIII II	DEA#:		
Practice Name:	Liun.	NPI#:			
Address:		City/State/Zip:			
Office Contact:	Phone:	Fax:			
	Physician (if applicable):				
MS CLINICAL DETAILS					
<b>Type of MS:</b> Primary progressive multiple sclerosis (PPMS) <b>OR</b> Relapsing multiple sclerosis (RMS)					
Ambulation status: Able to ambulate more than 5 meters Able to ambulate without aid or rest for at least 100 meters					
Relapse details: Two or more relapses within the previous two years One relapse within the previous year					
PLEASE ATTACH					
Patient demographics & front/back copy of all insurance cards (prescription & medical)  Quantitative serum Immunoglobulin lab results (Ocrevus only)					
Recent office visit notes, history & physical, lab & pertinent procedure results  Vaccine status (any vaccination) and documentation of any recent vaccinations					
Current medication list & list of prior medications tried and failed (with dates)  HBV lab results within last 12 months ( <i>Ocrevus only</i> )					
	ntation/verification if applicable		Letter of medical necessity if drug dosing or indication is outside of FDA guideline		
NURSING & LAB ORDERS					
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion.					
Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - 10units/mLOR 100 units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line					
Lab Orders: Lab Date & Frequency:					
PRESCRIPTION ORDERS					
Anaphylaxis Kit:	Epinephrine 0.3mg IM as needed Solu-cortef 250mg-500mg IV infusion as needed Solu-Medrol 60mg - 125mg IV infusion as needed				
(Check all that apply)	Diphenhydramine mg IV infusion as needed				
Pre-Medications:	Acetaminophenmg POminutes prior to infusion Solu-Medrolmg IV infusionminutes prior to infusion				
(Check all that apply)					
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary					
PRODUCT PRESCRIPTION INFORMATION REFILLS					
Is this a first dose? Yes No If No, when was last dose given? When is patient due for next dose?					
is this a mist dose.					NONE
OCREVUS	Induction: 300mg IV infusion over at least 2.5 hours	followed 2 weeks later by 300mg IV infusion	n over at least 2.5 hours		NONL
	Maintenance: 600mg IV infusion over 3.5 hours every 6 months (if no prior serious infusion reactions, may administer over at least 2 hours)				
	Post Infusion: Sodium Chloride 0.9% 100ml administer IV to keep line open (KVO) for one hour following infusion				
	(Per PI, Corticosteroid and antihistamine required for pre-medication, refer to section above)				
	ti et i i, coi acosterota anta antanistaminie requireu ioi pre-ineutcation, refer to section above)				
TYSABRI	200mg Winfusion over one hour event 4 weeks				NONE
	300mg IV infusion over one hour every 4 weeks <b>Post Infusion</b> : Sodium Chloride 0.9% 100ml administer IV to keep line open (KVO) for one hour following infusion				I NOME
	· · · · · · · · · · · · · · · · · · ·				
IG	For Immunoglobulin therapy please refer to Immuno	globulin Form			
LEMTRADA	For Lemtrada therapy please refer to Lemtrada Form				
OTHER					
OTTLIN					
By signing this form and utilizing our services, you are authorizing EventusRx to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.					

ACHC ACCREDITED

Date

Prescriber's Signature

**Print Name** 

**Substitution Permitted**