

Phone:



PATIENT INFORMATION		
Patient Name:	Date of Birth:	Referral Date:
Address:	City/State/Zip:	
Home Phone:	Cell Phone:	Work Phone:
Secondary Contact:	Height: Weight:	☐ Male ☐ Female
Patient Diagnosis & ICD-10:		
Allergies:		
PROVIDER INFORMATION		
Physician Name:	Lic.#:	DEA #:
Practice Name:	NPI#:	
Address:	City/State/Zip:	
Office Contact:	Phone:	Fax:
Supervisory Physician (if applicable):		
MS CLINICAL DETAILS		
Type of MS: ☐ Primary progressive multiple sclerosis (PPMS) ---OR--- ☐ Relapsing multiple sclerosis (RMS)		
Ambulation status: ☐ Able to ambulate more than 5 meters ☐ Able to ambulate without aid or rest for at least 100 meters		
Relapse details: ☐ Two or more relapses within the previous two years ☐ One relapse within the previous year		
PLEASE ATTACH		
☐ Patient demographics & front/back copy of all insurance cards (prescription & medical)	☐ CBC with differential, Serum creatinine levels, urinalysis with cell counts, urine protein to creatinine ratio thyroid function tests	
☐ Recent office visit notes, history & physical, lab & pertinent procedure results	☐ Pregnancy test results (if applicable)	
☐ Current medication list & list of prior medications tried and failed (with dates)	☐ Vaccine status (any vaccination) and documentation of any recent vaccinations	
☐ Line access documentation/verification if applicable	☐ Letter of medical necessity if drug dosing or indication is outside of FDA guidelines	
NURSING & LAB ORDERS		
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders.		
Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - ☐ 10units/mL ---OR--- ☐ 100units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line		
Oxygen: Give O ₂ at 2L/M per nasal cannula as needed		
Lab Orders: Lab Date & Frequency:		
SUPPLY ORDERS		
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary		
PRODUCT	PREScription INFORMATION	REFILLS
Is this a first dose? ☐ Yes ☐ No If No, when was last dose given? _____ When is patient due for next dose? _____		
☐ LEMTRADA	☐ Pre Meds: Hydroxyzine HCl 50mg po prior to start of infusion and every 6 hours prn #25 Acyclovir 200mg po BID for a minimum of 2 months or until CD4+ count is > or = to 200 cells per microliter, whichever occurs later #60 Refill: #1 Cetirizine 10mg po prior to Lemtrada infusion Ondansetron 4mg po prn #25 Promethazine 25mg po prn #25 Famotidine 20mg prior to start of alemtuzumab infusion Acetaminophen 1000mg po prior to start of Lemtrada infusion and q6h prn Other: _____ Note – If needed, please send pain prescription to retail pharmacy ☐ Pre Infusion: Solu-Medrol 1000mg IV infusion in 500mL of 0.9% NaCl over 1 hour prior to Lemtrada infusion on days 1, 2 and 3 only Normal saline 0.9% 500ml IV prior to Lemtrada infusion on days 4 and 5 ☐ Initial Course: 12mg/day IV infusion via ☐ pump ---OR--- ☐ gravity over 4 hours for 5 consecutive days ☐ Subsequent Course: 12mg/day IV infusion via ☐ pump ---OR--- ☐ gravity over 4 hours for 3 consecutive days *To start at least 12 months after previous dose* ☐ Post Meds: Normal saline 0.9% 500mL IV infusion over 1 hour post Lemtrada infusion	_____
☐ ANAPHYLAXIS / SIDE EFFECT ORDERS	☐ Ondansetron 4-8mg in 50-100mL 0.9% NaCl IV infusion over 15 minutes prn nausea ☐ Epinephrine 1:1000 0.5-1mL IVP prn angioedema/hypotension/bronchospasm/generalized urticaria ☐ Ketorolac: 30mg IVP over 3-5 minute ☐ Diphenhydramine 50mg in 100mL of 0.9% NaCl IV over approx 15 mins prn pruritis/rash	_____
☐ OTHER		_____
By signing this form and utilizing our services, you are authorizing Amerita to assist with prior authorization requests acting as your pharmacy provider in dealing with medical and prescription insurance companies.		

Date _____